

The IO FiX™ Advantage: **Designed for Fusion**

- Number of the Compression
- X Zero Profile
- Reinforced Bone Bridge
- Fast, Easy & Reproducible

Because Uniform Compression is *Better* Compression



How IO FiX™ Works

Zero Profile

Implants are placed within the bone

Minimizes soft tissue irritation

Decreases need for hardware removal

Uniform Compression Lag Effect

X-Post™

Distributes compressive forces across a greater surface area

- M Unique Morse Taper Locking System lags and locks simultaneously
- More uniform compression
- Greater peak compression

Reinforced Bone Bridge

Screw lags against a reinforced cortical bone bridge


Unlike screws, IO FiX™
 maintains compression
 if the cortical bridge is compromised







Designed for Fusion

Force Distribution*







^{*} Data on file, Extremity Medical.

Versatility

Various sizes allow for versatile placement.





Lapidus

Talonavicular Arthrodesis

Triple Arthrodesis







Ankle Fusion

MTP Fusion

TMT Fusion

INDICATIONS FOR USE

The Extremity Medical Lag Screw and X-Post™ System is intended for the reduction and internal fixation ofarthrodeses, osteotomies, intra-articular and extra-articular fractures and nonunions of the small bones and jointsof the foot & ankle. The two-part construct is specifically intended for use in the Talonavicular, Calcaneocuboid,Metatarsocuneiform, and Ankle Joint, as well as for Metatarsal Osteotomies.

Before use, physicians should review all risk information and essential prescribing information which can be found in the IO FiX™ Instructions for Use.



Calcaneal Osteotomy

300 Interpace Parkway Suite 410 Parsippany, NJ 07054

Phone: 973.588.8980

Customer Service: 888.499.0079

Fax: 888.499.0542

www.extremitymedical.com



C € 2797

Patent Pending
Extremity Medical and IO FiX are trademarks
of Extremity Medical, LLC.
©Extremity Medical, LLC. 2012. All rights reserved.

LBL 118-99105-EN Rev D 01/2020