

Omni[™]
Plating System

JOINT FORCES

**PLATE.
POST.
SCREW.**




EXTREMITY[®]
MEDICAL

Indication Specific Designs for Optimized Fit and Fixation

PlantarFiX™ Post


- Post works in all locking holes in every Omni plate
- 2-Part Design allows distal hole to rotate 360° for versatile screw placement options



Lisfranc/TMT




- 10° Plantar bend with medial to lateral bow
- Left/Right specific plates
- Available in 4 sizes
- 3 points of distal fixation per metatarsal
- 2 points of proximal fixation per cuneiform




Lapidus




- Left/Right specific plates
- Medial plate to minimize soft tissue irritation
- Compression slot



MTP Plates



- 10° built in Valgus
- Left/Right specific plates
- Standard, Long, and Dorsiflexed options
- Compression slot



TN Plates



- Utility plate designed to work with the anatomy of the TN
- 2 points of fixation on both sides of the joint
- Compression slot



Precision-Guided Accuracy




Targeting Guide

- Provides bullseye placement of the Lag Screw into the Post
- Targets Post for any locking hole in every Omni Plate

Omni[™]
Plating System

Plate. Post. Screw. Unequaled Mechanical Leverage.

Revolutionary PlantarFiX™ Post...




The Nuts & Bolts of the Post Design

Consistent Plantar Compression

- Post acts as a metal cortex
- Screw interdigitates with Post
- Screw/Post compression is independent of bone quality

Versatile Placement


- Post works in all locking holes in every Omni plate
- 2-Part Design allows distal hole to rotate 360° for versatile screw placement options



...Increases Compression Force

165% More Compression Power


Peak compression (N) vs. independently placed screw*



...Increases Duration of Compression


No Screw Strip-out

Maintenance of Peak Compression*



...Optimizes Compression Location

Consistent Plantar-side Compression




*Data on file

**Force Distribution via Finite Element Analysis

The Universal System that Meets All Plating Challenges

Available screw sizes:


- 2.8 & 3.5mm Variable-angle locking and non-locking screws
- 3.5mm Compression Screws




Anatomically Contoured Low Profile Plates



1.5 mm thickness



Straight Plates



T Plates




**X Plates
Plates**



Dogbone



Lapudus Plates



MTP Plates



Lisfranc

Indications for Use: The Omni Foot Plating System is intended for use in internal fixation of arthrodeses, osteotomies, fractures and nonunions of the small bones of the foot & ankle including the fore-, mid-, and hind foot and ankle applications.

Extremity Medical, OMNI Plating System and PlantarFIX are trademarks of Extremity Medical, LLC.
©Extremity Medical, LLC. 2018. All rights reserved.
LBL-144-99205 Rev. B 12/2022

EXTREMITY®
MEDICAL

300 Interpace Parkway
Building A, 2nd Floor
Parsippany, NJ 07054
Phone: 973.588.8980
Customer Service: 888.499.0079
Fax: 888.499.0542
www.extremitymedical.com